

## EAST Search History

| Ref # | Hits  | Search Query  | DBs   | Default Operator | Plurals | Time Stamp       |
|-------|-------|---|---|------------------|---------|------------------|
| L1    | 82392 | compress\$4 near4 (cache\$5 stor\$4)                | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | OFF     | 2007/06/12 10:22 |
| L2    | 288   | 1 and 709/247.ccls.                                 | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | OFF     | 2007/06/12 10:23 |
| L3    | 273   | 2 and (@ad<="20040210"<br>@rlad<="20040210")        | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | OFF     | 2007/06/12 10:23 |
| L4    | 52851 | compress\$4 near2 (cache\$5 stor\$4)                | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | OFF     | 2007/06/12 10:22 |
| L5    | 226   | 4 and 709/247.ccls.                                 | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | OFF     | 2007/06/12 10:25 |
| L6    | 216   | 5 and (@ad<="20040210"<br>@rlad<="20040210")        | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | OFF     | 2007/06/12 10:23 |
| L7    | 282   | 1 same ((select\$4 choos\$4) near3<br>(level rate)) | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | OFF     | 2007/06/12 10:24 |
| L8    | 3     | 7 and 709/247.ccls.                                 | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | OFF     | 2007/06/12 10:26 |

## EAST Search History

|     |     |   |   |    |     |                  |
|-----|-----|---|---|----|-----|------------------|
| L9  | 12  | 7 and "709"/\$.ccls.                          | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/06/12 10:42 |
| L10 | 650 | compress\$3 near4 based near4<br>condition\$1 | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/06/12 10:42 |
| L11 | 333 | compress\$3 near2 based near4<br>condition\$1 | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/06/12 12:48 |
| L12 | 2   | 11 and "709"/\$.ccls.                         | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/06/12 10:42 |
| L13 | 256 | determin\$4 near10 data near10<br>cacheable   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/06/12 12:47 |
| L14 | 0   | 11 and 13                                     | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/06/12 12:48 |
| L15 | 0   | 10 and 13                                     | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/06/12 12:48 |
| L16 | 0   | 10 and cacheable                              | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/06/12 12:48 |

## EAST Search History

|     |     |   |   |    |     |                  |
|-----|-----|---|---|----|-----|------------------|
| L17 | 2   | "20050188112"   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/06/12 12:55 |
| L18 | 2   | ("6535485" "6505239").pn.   | USPAT   | OR | OFF | 2007/06/12 12:55 |
| L19 | 1   | "20030039398"   | US-PGPUB  | OR | OFF | 2007/06/12 12:55 |
| L20 | 3   | L18 L19   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/06/12 12:55 |
| L21 | 478 | compress\$4 near5 (base\$2<br>determin\$4) near5 bandwidth                    | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/06/12 12:55 |
| L22 | 389 | L21 and (@ad<="20040210"<br>@rlad<="20040210")                                | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/06/12 12:55 |
| L23 | 49  | L21 and "709"/\$.ccls.  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/06/12 12:55 |
| L24 | 42  | L23 and (@ad<="20040210"<br>@rlad<="20040210")                                | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/06/12 12:55 |
| L25 | 4   | dynamic near10 (select\$4 choos\$4)<br>near10 bandwidth near10<br>compression | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/06/12 12:55 |
| L26 | 256 | determin\$4 near10 data near10<br>cacheable                                   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/06/12 12:55 |

## EAST Search History

|     |      |  |   |    |     |                  |
|-----|------|--|---|----|-----|------------------|
| L27 | 22   | L13 and "709"/\$.ccls.   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/06/12 12:55 |
| L28 | 21   | L27 and (@ad<="20040210"<br>@rlad<="20040210")   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/06/12 12:55 |
| L29 | 1    | determin\$4 near10 data near10<br>cacheable near10 (compress\$4<br>shrink\$4 encod\$4) | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/06/12 12:55 |
| L30 | 3    | determin\$4 near10 data near10<br>cacheable same (compress\$4<br>shrink\$4 encod\$4)   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/06/12 12:55 |
| L31 | 666  | determine near10 load near10<br>server   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/06/12 12:55 |
| L32 | 514  | determine near10 amount near10<br>request  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/06/12 12:55 |
| L33 | 1078 | L31 L32  | US-PGPUB;<br>USPAT  | OR | OFF | 2007/06/12 12:55 |
| L34 | 440  | L33 and "709"/\$.ccls.   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/06/12 12:55 |
| L35 | 440  | L33 and "709"/\$.ccls.   | US-PGPUB;<br>USPAT  | OR | OFF | 2007/06/12 12:55 |

## EAST Search History

|     |         |  |   |    |     |                  |
|-----|---------|--|---|----|-----|------------------|
| L36 | 376     | L35 and (@ad<="20040210"<br>@rlad<="20040210") | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/06/12 12:55 |
| L37 | 9       | L31 and L32                                    | US-PGPUB;<br>USPAT  | OR | OFF | 2007/06/12 12:55 |
| L38 | 1154399 | throughput naer3 test                          | US-PGPUB;<br>USPAT  | OR | OFF | 2007/06/12 12:55 |
| L39 | 14261   | L38 and "709"/\$.ccls.                         | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/06/12 12:55 |
| L40 | 194     | L33 and L39                                    | US-PGPUB;<br>USPAT  | OR | OFF | 2007/06/12 12:55 |
| L41 | 169     | L36 and L39                                    | US-PGPUB;<br>USPAT  | OR | OFF | 2007/06/12 12:55 |
| L42 | 1763    | throughput near3 test                          | US-PGPUB;<br>USPAT  | OR | OFF | 2007/06/12 12:55 |
| L43 | 37      | L42 and "709"/\$.ccls.                         | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/06/12 12:55 |
| L44 | 34      | L43 and (@ad<="20040210"<br>@rlad<="20040210") | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/06/12 12:55 |
| L45 | 11      | L44 and compress\$4                            | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/06/12 12:55 |
| L46 | 907     | determine near10 amount near10<br>request\$4   | US-PGPUB;<br>USPAT  | OR | OFF | 2007/06/12 12:55 |
| L47 | 151     | L46 and "709"/\$.ccls.                         | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/06/12 12:55 |

## EAST Search History

|     |     |  |   |    |     |                  |
|-----|-----|--|---|----|-----|------------------|
| L48 | 51  | L47 and compress\$4                            | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/06/12 12:55 |
| L49 | 40  | L48 and (@ad<="20040210"<br>@rlad<="20040210") | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/06/12 12:55 |
| L50 | 14  | L46 same compress\$4                           | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/06/12 12:55 |
| L51 | 40  | L49 and (@ad<="20040210"<br>@rlad<="20040210") | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/06/12 12:55 |
| L52 | 14  | L50 and (@ad<="20040210"<br>@rlad<="20040210") | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/06/12 12:55 |
| L53 | 675 | 709/247.ccls.                                  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/06/12 12:55 |
| L54 | 634 | L53 and (@ad<="20040210"<br>@rlad<="20040210") | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/06/12 12:55 |
| L55 | 367 | L54 and bandwidth                              | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/06/12 12:55 |

## EAST Search History

|     |      |   |   |    |     |                  |
|-----|------|---|---|----|-----|------------------|
| L56 | 2    | "20050086383"                                   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/06/12 12:55 |
| L57 | 340  | compress\$4 near10 (bandwidth and<br>cache\$7)  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/06/12 12:55 |
| L58 | 313  | L57 and (@ad<="20040210"<br>@rlad<="20040210")  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/06/12 12:55 |
| L59 | 26   | compress\$4 near10 (bandwidth and<br>cacheable) | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/06/12 12:55 |
| L60 | 675  | 709/247.ccls.                                   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/06/12 12:55 |
| L61 | 800  | 370/477.ccls.                                   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/06/12 12:55 |
| L62 | 1459 | L60 L61   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/06/12 12:55 |
| L63 | 31   | L57 and L62                                     | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/06/12 12:55 |

## EAST Search History

|     |      |  |   |    |     |                  |
|-----|------|--|---|----|-----|------------------|
| L64 | 31   | L63 and (@ad<="20040210"<br>@rlad<="20040210") | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/06/12 12:55 |
| L65 | 3    | L59 and L62                                    | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/06/12 12:55 |
| L66 | 800  | 370/477.ccls.                                  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/06/12 12:55 |
| L67 | 675  | 709/247.ccls.                                  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/06/12 12:55 |
| L68 | 1459 | L67 L66  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/06/12 12:55 |
| L69 | 11   | L68 and cacheable                              | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/06/12 12:55 |
| L70 | 675  | 709/247.ccls.                                  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/06/12 14:24 |
| L71 | 800  | 370/477.ccls.                                  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/06/12 14:25 |



## EAST Search History

|     |      |   |   |    |     |                  |
|-----|------|---|---|----|-----|------------------|
| L72 | 1459 | 70 71   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/06/12 14:25 |
| L73 | 2    | 72 and (request\$3 adj2 data adj3<br>cacheable)                   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/06/12 14:26 |
| L74 | 1    | 72 and (dynamic\$4 adj2 select\$3<br>adj3 level adj3 compression) | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/06/12 14:30 |
| L75 | 2    | 72 and (specifi\$3 adj3 level adj3<br>compress\$4)                | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/06/12 14:31 |
| S1  | 2    | "20050188112"   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/08/10 09:43 |
| S2  | 2    | ("6535485" "6505239").pn.   | USPAT   | OR | OFF | 2006/08/10 13:18 |
| S3  | 1    | "20030039398"   | US-PGPUB  | OR | OFF | 2006/08/10 13:19 |
| S4  | 3    | S2 S3   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/02/21 13:09 |
| S5  | 415  | compress\$4 near5 (base\$2<br>determin\$4) near5 bandwidth        | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/08/11 10:45 |
| S6  | 352  | S5 and (@ad<="20040210"<br>@rlad<="20040210")                     | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/08/11 10:46 |

## EAST Search History

|     |     |  |   |    |     |                  |
|-----|-----|--|---|----|-----|------------------|
| S7  | 43  | S5 and "709"/\$.ccls.  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/08/11 13:21 |
| S8  | 38  | S7 and (@ad<="20040210"<br>@rlad<="20040210")  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/08/11 13:21 |
| S9  | 4   | dynamic near10 (select\$4 choos\$4)<br>near10 bandwidth near10<br>compression          | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/08/11 13:20 |
| S10 | 217 | determin\$4 near10 data near10<br>cacheable  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/08/11 13:23 |
| S11 | 20  | S10 and "709"/\$.ccls.   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/08/11 14:17 |
| S12 | 19  | S11 and (@ad<="20040210"<br>@rlad<="20040210")   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/08/11 14:13 |
| S13 | 1   | determin\$4 near10 data near10<br>cacheable near10 (compress\$4<br>shrink\$4 encod\$4) | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/08/11 13:26 |
| S14 | 2   | determin\$4 near10 data near10<br>cacheable same (compress\$4<br>shrink\$4 encod\$4)   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/08/11 14:12 |

## EAST Search History

|     |         |  |   |    |     |                  |
|-----|---------|--|---|----|-----|------------------|
| S15 | 561     | determine near10 load near10 server            | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/08/11 14:13 |
| S16 | 442     | determine near10 amount near10 request         | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/08/11 14:13 |
| S17 | 921     | S15 S16  | US-PGPUB;<br>USPAT  | OR | OFF | 2006/08/11 14:17 |
| S18 | 362     | S17 and "709"/\$.ccls.                         | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/08/11 14:13 |
| S19 | 362     | S17 and "709"/\$.ccls.                         | US-PGPUB;<br>USPAT  | OR | OFF | 2006/08/11 14:13 |
| S20 | 324     | S19 and (@ad<="20040210"<br>@rlad<="20040210") | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/02/21 13:10 |
| S21 | 8       | S15 and S16                                    | US-PGPUB;<br>USPAT  | OR | OFF | 2006/08/11 14:57 |
| S22 | 1058674 | throughput naer3 test                          | US-PGPUB;<br>USPAT  | OR | OFF | 2006/08/11 14:18 |
| S23 | 12376   | S22 and "709"/\$.ccls.                         | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/08/11 14:18 |
| S24 | 166     | S17 and S23                                    | US-PGPUB;<br>USPAT  | OR | OFF | 2006/08/11 14:18 |
| S25 | 151     | S20 and S23                                    | US-PGPUB;<br>USPAT  | OR | OFF | 2006/08/11 14:18 |
| S26 | 1507    | throughput near3 test                          | US-PGPUB;<br>USPAT  | OR | OFF | 2006/08/11 14:18 |

## EAST Search History

|     |     |  |   |    |     |                  |
|-----|-----|--|---|----|-----|------------------|
| S27 | 33  | S26 and "709"/\$.ccls.                         | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/08/11 14:57 |
| S28 | 31  | S27 and (@ad<="20040210"<br>@rlad<="20040210") | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/08/14 13:48 |
| S29 | 8   | S28 and compress\$4                            | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/08/11 14:19 |
| S30 | 787 | determine near10 amount near10<br>request\$4   | US-PGPUB;<br>USPAT  | OR | OFF | 2006/08/11 14:58 |
| S31 | 135 | S30 and "709"/\$.ccls.                         | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/08/11 14:57 |
| S32 | 46  | S31 and compress\$4                            | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/08/11 14:58 |
| S33 | 39  | S32 and (@ad<="20040210"<br>@rlad<="20040210") | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/08/11 14:58 |
| S34 | 12  | S30 same compress\$4                           | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/08/11 14:58 |
| S35 | 39  | S33 and (@ad<="20040210"<br>@rlad<="20040210") | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/08/11 14:58 |

## EAST Search History

|     |     |  |   |    |     |                  |
|-----|-----|--|---|----|-----|------------------|
| S36 | 12  | S34 and (@ad<="20040210"<br>@rlad<="20040210") | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/08/11 14:58 |
| S37 | 609 | 709/247.ccls.                                  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/08/14 13:48 |
| S38 | 583 | S37 and (@ad<="20040210"<br>@rlad<="20040210") | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/08/14 13:48 |
| S39 | 332 | S38 and bandwidth                              | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/08/14 13:49 |
| S40 | 2   | "20050086383"                                  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/08/15 13:20 |
| S41 | 318 | compress\$4 near10 (bandwidth and<br>cache\$7) | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/02/21 13:12 |
| S42 | 298 | S41 and (@ad<="20040210"<br>@rlad<="20040210") | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/02/21 13:12 |
| S43 | 658 | 709/247.ccls.                                  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/02/21 13:12 |

## EAST Search History

|     |      |   |   |    |     |                  |
|-----|------|---|---|----|-----|------------------|
| S44 | 779  | 370/477.ccls.                                   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/02/21 13:12 |
| S45 | 1421 | S43 S44   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/02/21 13:12 |
| S46 | 30   | S41 and S45                                     | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/02/21 13:13 |
| S47 | 30   | S46 and (@ad<="20040210"<br>@rlad<="20040210")  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/02/21 13:12 |
| S48 | 24   | compress\$4 near10 (bandwidth and<br>cacheable) | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/02/21 13:12 |
| S49 | 3    | S48 and S45                                     | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/02/21 13:13 |
| S50 | 658  | 709/247.ccls.                                   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/02/22 08:34 |
| S51 | 779  | 370/477.ccls.                                   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/02/22 08:34 |

## EAST Search History

|     |      |                   |   |    |     |                  |
|-----|------|-------------------|---|----|-----|------------------|
| S52 | 1421 | S50 S51           | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/02/22 08:34 |
| S53 | 11   | S52 and cacheable | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/02/22 08:35 |